

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES


Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.

AMENDMENT TRANSMITTAL LETTER (Large Entity)				Docket No. 125477	
Applicant(s): Robert M. Vavrek et al.					
Serial No. 10/063,422	Filing Date 10/16/2002	Examiner Louis M. Arana		Group Art Unit 2859	
Invention: Gradient Coil Apparatus For Magnetic Resonance Imaging					
<u>TO THE COMMISSIONER FOR PATENTS:</u>					
Transmitted herewith is an amendment in the above-identified application.					
The fee has been calculated and is transmitted as shown below.					
CLAIMS AS AMENDED					
	CLAIMS REMAINING AFTER AMENDMENT	HIGHEST # PREV. PAID FOR	NUMBER EXTRA CLAIMS PRESENT	RATE	ADDITIONAL FEE
TOTAL CLAIMS	25 -	25 =	0 x	\$18.00	\$0.00
INDEP. CLAIMS	9 -	9 =	0 x	\$84.00	\$0.00
Multiple Dependent Claims (check if applicable) <input type="checkbox"/>					\$0.00
TOTAL ADDITIONAL FEE FOR THIS AMENDMENT					\$0.00
 <input checked="" type="checkbox"/> No additional fee is required for amendment. <input type="checkbox"/> Please charge Deposit Account No. _____ in the amount of _____ <input type="checkbox"/> A check in the amount of _____ to cover the filing fee is enclosed. <input checked="" type="checkbox"/> The Director is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account No. 07-0845 <input checked="" type="checkbox"/> Any additional filing fees required under 37 C.F.R. 1.16. <input type="checkbox"/> Any patent application processing fees under 37 CFR 1.17.					
 _____ Signature Troy J. LaMontagne Reg. No. 47,239 Cantor Colburn LLP 55 Griffin Road South Bloomfield, CT 06002 860-286-2929 Customer Service No. 23413 Confirmation No. 6750			Dated: 01/12/2004		
cc:			<div style="font-size: small;">I certify that this document and fee is being deposited on _____ with the U.S. Postal Service as first class mail under 37 C.F.R. 1.8 and is addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.</div> <div style="text-align: center; margin-top: 10px;">_____ Signature of Person Mailing Correspondence</div> <div style="text-align: center; margin-top: 10px;">_____ Typed or Printed Name of Person Mailing Correspondence</div>		

CERTIFICATE OF TRANSMISSION BY FACSIMILE (37 CFR 1.8)			Docket No.
Applicant(s): Robert M. Vavrek et al.			125477
Serial No.	Filing Date	Examiner	Group Art Unit
10/065,422	10/16/2002	Louis M. Arana	2859
Invention: Gradient Coil Apparatus For Magnetic Resonance Imaging			
			RECEIVED CENTRAL FAX CENTER
			OFFICIAL
			JAN 12 2004
I hereby certify that this <u>Transmittal and Amendment</u>			
(Identify type of correspondence)			
is being facsimile transmitted to the United States Patent and Trademark Office (Fax. No. <u>703-872-9306</u>)			
on <u>01/12/2004</u>			
(Date)			
Nancy Mather			
(Typed or Printed Name of Person Signing Certificate)			
<u>Nancy Mather</u>			
(Signature)			
Note: Each paper must have its own certificate of mailing.			

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

**RECEIVED
CENTRAL FAX CENTER**

JAN 12 2004

OFFICIAL

APPLICANT: ROBERT M. VAVREK ET AL.)
) Group Art Unit:
) 2859
SERIAL NUMBER: 10/065,422)
)
FILED: October 16, 2002) Examiner:
) Arana, Louis M.
)
FOR: GRADIENT COIL APPARATUS) Confirmation No.
FOR MAGNETIC RESONANCE) 6750
IMAGING)

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

RESPONSE TO OFFICE ACTION

This correspondence is submitted in response to the Office Action dated December
12, 2003. Allowance of all claims is respectfully requested.